



INNOVATIONS FOR LIVING.™



OAKRIDGE® PRO30 SHINGLES



SOLID PERFORMANCE AND STRIKING BEAUTY



Oakridge® Pro30 Driftwood



180 KM/H

Product Attributes

Warranty Length*

Limited Lifetime (for as long as you own your home)

Wind Resistance Limited Warranty*

180 KMPH / 110 MPH

Algae Resistance Limited Warranty*

10 Years

Oakridge® Shingles Product Specifications

Nominal Size	336.55mm x 984mm
Exposure	143mm
Shingles per Square	64
Bundles per Square	4
Coverage per Square	9.01 m ²

* See actual warranty for complete details, limitations and requirements.

New Zealand Building Code (NZBC)

The product will, if installed in accordance with the supplier's installation and maintenance requirements, assist with meeting the following provisions of the building code:

- Clause B1 Structure: Performance B1.3.1, B1.3.2, B1.3.3, B1.3.4
- Clause B2 Durability: Performance B2.3.1, B2.3.1(b)
- Clause E2 External moisture: Performance E2.3.1, E2.3.2, E2.3.6
- Clause F2 Hazardous building materials: Performance F2.3.1
- Clause G12 Water Supplies: Performance G12 and AS/NZS 4020

Supporting Evidence

The SPS Roofing and Building Materials Ltd (SPS Building) Technical Manual for Owen Corning Asphalt Roofing shingles contains documents to support the above compliance.

*New Zealand's
most trusted shingle!*



INNOVATIONS FOR LIVING™

Oakridge® Pro30 Onyx Black

SOLID PERFORMANCE AND STRIKING BEAUTY.

Owens Corning Oakridge laminated shingles have a warm, inviting look, for a step up from traditional shingles. With an expanded Oakridge shingle colour palette, you are provided a unique blend of artistry and craftsmanship that will give your home a look that is anything but ordinary.

Oakridge® Pro30 Colour Availability

Brownwood




Desert Tan




Driftwood



Estate Grey



Onyx Black



Teak



StreakGuard™ Algae Resistance Protection

Ditch the streaks - protect your home's curb appeal


Algae species are naturally occurring and transported through the air to attach themselves to shingles and other surfaces. While algae growth can cause brown or black streaks on roofs, it does not impact the performance of your shingles. Streaks caused by algae growth are more common in warm, humid climates but can occur in all regions of the country. Owens Corning has continued to advance their algae resistance protection based on over 30 years of testing and experience. Shingles with StreakGuard™ Algae Resistance Protection can help inhibit the growth of blue-green algae*.

Owens Corning Shingles with StreakGuard™ Algae Resistant Protection:

- Are supported by the #1 Trusted Brand in Roofing[†]
- Helps inhibit the growth of algae* to keep your home beautiful
- Gives homeowner peace-of-mind based on decades of Owens Corning testing and experience with algae resistance protection
- Is available on a wide variety of shingle styles and colours. Ask your contractor for specifics
- Has a limited lifetime warranty*

*See actual warranty for details, limitations and requirements

[†]2016 Roofing Homeowner Brand Awareness Survey by Owens Corning Roofing and Asphalt, LLC.



Owens Corning blends copper-lined granules into our colourful granules, which help resist algae growth.



The Building Agency has gained **CodeMark™** certification for our Owens Corning products. In doing so, we have reaffirmed that our Duration® series, Oakridge® Pro30 and Berkshire® ranges comply with the New Zealand building code, and are able to excel in New Zealand's unique environment.

CodeMark™ is the ultimate

Here's why:

- It has legal status equivalent to that of an Acceptable Solution or Verification Method.
- Ensures your roof is capable of performing as intended.
- Streamlines the building consent and inspection process.
- Is listed on the MBIE public register.

The Building Agency has made specifying Owens Corning™ shingles incredibly easy by including a **"Specify Now"** option on our website. A few simple clicks will give you all you need to go to council.