



No. SDHL1608015089FB Date: Aug.24, 2016 Page 1 of 4

TIANJIN HUALI THERMAL INSULATION BUILDING MATERIALS CO., LTD NO.666, DANJIANG ROAD, MARINE HIGH-TECH DEVELOPMENT ZONE, BINHAI NEW AREA, TIANJIN

The following sample(s) was / were submitted and identified on behalf of the client as: Sample Description : ROCK WOOL

SGS Ref. No.

Test Performing Date

- : SHIN160802959CCM
- Sample Receiving Date : Aug.12, 2016
 - : Aug.12, 2016 to Aug.24, 2016

Test Result Summary

Test(s) Requested	Result(s)
EN 13501-1:2007+A1:2009	Classification: A1
Summary:	

1. For further details, please refer to the following page(s).

Signed for and on behalf of Shunde Branch SGS-CSTC Co., Ltd.

Irvette Zhang Approved signatory



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

1作,1⁶BuidingEuropean Industrial Park Not.15Numhenan Road, Mische Section, Daiang Town, Shunde, Frishan, Quangdong, Orina 528333 tt (86-757) 22805888 ft (86-757) 22805858 www.sgsgroup.com.cn 中国・广东・佛山市順第区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层邮编: 528333 tt (86-757) 22805888 ft (86-757) 22805858 e sgs.china@sgs.com



No. SDHL1608015089FB

Date: Aug.24, 2016

Page 2 of 4

TESTS AND RESULTS

Test Conducted:

This test is conducted as per EN 13501-1:2007+A1:2009 Fire classification of construction products and building elements-Part 1: Classification using data from reaction to fire tests.

And the test methods as following:

- 1. EN ISO 1182:2002 Reaction to fire tests for products-Non-combustibility test.
- 2. EN ISO 1716:2010 Reaction to fire tests for products-Determination of the gross heat of combustion. (Calorific Value).

Test Results:

Test method	Parameter	Number of tests	<u>Results</u>
	ΔT		8.3°C
EN ISO 1182	riangle m	5	6.2%
	t _f		0s
EN ISO 1716	For substantial components: Heat of Combustion -PCS	3	0.6MJ/kg

Remark:

 $\triangle T$ – temperature rise [°C]; $\triangle m$ – mass loss [%]; t_f – duration of sustained flaming [s]

PCS – gross heat of combustion [MJ/kg or MJ/m²]

Classification and direct field of application

This classification has been carried out in accordance with EN 13501-1:2007+A1:2009.

Classification:

The product, "Rock wool", classification is as following,

Reaction to fire classification: A1

Remark:

The classes with their corresponding fire performance are given in annex A. Reaction to fire classification is based on the 7-step scale of A1 to F, where A1 is good and F is bad

Statement:

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test; they are not intended to be the sole criterion for assessing the potential fire hazard of the product in use.

Warning:

This classification report does not represent type approval or certification of the product.

The test laboratory has, therefore, play no part in sampling the product for the test, although it holds appropriate references to the manufacturer's factory production control that is aimed to be relevant to the samples tested and that will provide for their traceability.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-eDocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <u>CN.Docchec@ags.com</u>

1作,1⁶BuidingEuropean Industrial Park Not.1Shumhenan Road, Mischa Section, Datang Town, Shunde, Foshan, Quangdong, Orina 528333 tt (86-757) 22805888 ft (86-757) 22805858 www.sgsgroup.com.cn 中国・广东・佛山市順第区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房首层邮编: 528333 tt (86-757) 22805888 ft (86-757) 22805858 e sgs.china@sgs.com



No. SDHL1608015089FB

```
Date: Aug.24, 2016
```

```
Page 3 of 4
```

Annex A

Classes of reaction to fire performance for construction products excluding floorings and linear pipe thermal insulation products

Class	Test method(s)		Classification criteria	Additional classification		
A1	EN ISO 1182 ^a and		△ <i>T</i> ≤30°C, and △ <i>m</i> ≤50%, and t _i =0(i.e. no sustained flaming)	-		
	EN ISO 1716		PCS≤2.0MJ/kg ^a and PCS≤2.0MJ/kg ^{bc} and PCS≤1.4MJ/m ^{2d} and PCS≤2.0MJ/kg ^e	-		
A2	EN ISO 1182 ^a or		<i>∆ T</i> ≤50°C, and <i>∆ m</i> ≤50%, and t _f ≤20 s	-		
	EN ISO 1716	and	$PCS \leq 3.0 \text{MJ/kg}^{a}$ and $PCS \leq 4.0 \text{MJ/m}^{2 b}$ and $PCS \leq 4.0 \text{MJ/m}^{2 d}$ and $PCS \leq 3.0 \text{MJ/kg}^{e}$	-		
	EN 13823		<i>FIGRA</i> ≤120W/s and <i>LFS</i> <edge and<br="" of="" specimen=""><i>THR</i>_{600s}≤7.5MJ</edge>	Smoke production ^f and Flaming droplets/particles ^g		
В	EN 13823 and		<i>FIGRA</i> ≤120W/s and <i>LFS</i> <edge and<br="" of="" specimen=""><i>THR</i>_{600s}≤7.5MJ</edge>	Smoke production ^f and Flaming droplets/particles ^g		
	EN ISO 11925-2 ⁱ Exposure =30s		<i>F</i> s≤150mm within 60 s			
С	EN 13823 and		<i>FIGRA</i> ≤250W/s and <i>LFS</i> <edge and<br="" of="" specimen=""><i>THR</i>_{600s}≤15MJ</edge>	Smoke production ^f and Flaming droplets/particles ^g		
	EN ISO 11925-2 ⁱ Exposure=30s		<i>F</i> s≤150mm within 60 s			
D	EN 13823 and		FIGRA≤750W/s	Smoke production ^f and Flaming droplets/particles ^g		
	EN ISO 11925-2 i Exposure=30s		Fs≤150mm within 60 s			
Е	EN ISO 11925-2 i Exposure =15s		Fs≤150mm within 20 s	flaming droplets/particles ^h		
F	No performance determined					



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: <u>CN.Doccheck@sgs.com</u>

1作:f⁴Buiding.European Industrial Park,Na.1Shumheran Road,Witstle Section,Datarg Town,Shunde,Foshan,Quargdong,China 528333 tt (86-757)22805888 ft (86-757)22805885 www.sgsgroup.com.cn 中国・广东・佛山市版値区大良街道办事处五沙版和南路1号欧洲工业园一号厂房首层邮编: 528333 tt (86-757)22805888 ft (86-757)22805888 e sgs.china@sgs.com



No. SDHL1608015089FB

Date: Aug.24, 2016

Page 4 of 4

^a For homogeneous products and substantial components of non-homogeneous products. ^b For any external non-substantial component of non-homogeneous products. ^c Alternatively, any external non-substantial component having a PCS ≤ 2,0 MJ/m², provided that the product satisfies the following criteria of EN 13823: FIGRA ≤ 20 W/s, and LFS < edge of specimen, and THR_{600s} ≤ 4,0 MJ, and s1, and d0. ^d For any internal non-substantial component of non-homogeneous products. ^e For the product as a whole. ^f In the last phase of the development of the test procedure, modifications of the smoke measurement system have been introduced, the effect of which needs further investigation. This may result in a modification of the limit values and/or parameters for the evaluation of the smoke production. $s1 = SMOGRA \le 30m^2/s^2$ and $TSP_{600s} \le 50m^2$; $s2 = SMOGRA \le 180m^2/s^2$ and $TSP_{600s} \le 200m^2$; s3 = not s1or s2 ^gd0 = No flaming droplets/ particles in EN 13823 within 600 s; d1 = no flaming droplets/ particles persisting longer than 10 s in EN 13823 within 600 s; d2 = not d0 or d1. Ignition of the paper in EN ISO 11925-2 results in a d2 classification. ^h Pass = no ignition of the paper (no classification); Fail = ignition of the paper (d2 classification). ⁱ Under conditions of surface flame attack and, if appropriate to the end-use application of the product, edge flame attack.

SAMPLE INFORMATION AND PICTURES



End of Report



ail: CN Docch

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sas.com

1/F,1⁴ Building,European Industrial Park,No.1 Shumhenan Road,Wusha Section,Daliang Town,Shunde,Fostran,Guangdong,China 528333 t (86–757)22805888 f (86–757)22805858 www.sgsgroup.com.cn 中国·广东·佛山市顺德区大良街道办事处五沙颜和南路1号欧洲工业园一号厂房首层 邮编; 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com